



This series on Blackwood has five parts. Each part can be read individually or as part of the series.

1. Overview
2. Establishment
3. **Pruning Regime**
4. Thinning Regime
5. Labour Estimates

### PRUNING REGIME

As a general guide, pruning should be 'little and often'. This will be more expensive than more conventional pruning lifts. The aim is to develop a framework in the first 8-10 years on which to grow high-value clearwood.

### FORM PRUNING

Annual form pruning is required from age 2 onwards. Blackwood possesses little apical dominance, with multiple leaders usually developing. Form pruning aims to concentrate growth in the dominant leader by removing or shortening competing leaders. This process must be undertaken annually.

Two methods of form pruning have been developed in New Zealand:

#### 1. Leader Training

An understanding of blackwood growth patterns is required. This is described in *BLACKWOOD: A Handbook for Growers and End Users*<sup>1</sup>.

- Leader training is appropriate for form pruning from the ground with secateurs (hand held and long-handled secateurs) to a height of 3-4 metres.
- The most vigorous leader is usually selected, with competing leaders either removed or shortened. When two shoots are competing equally, the shoot with the lowest stem attachment should be selected.<sup>1</sup>

#### 2. Gauge Pruning

Easiest method of form pruning. Any competing leaders or branches that exceed a predetermined diameter are removed.

In New Zealand, a 30mm gauge is recommended.<sup>1</sup> Due to slower growth rates compared to many New Zealand sites, and the potential for Wattle grub infestation, the following gauge sizes have been used for pruning in Tasmania. An **18mm Gauge** is used for the removal of competing leaders and the shortening of branches to minimise branch development (Figures 1 & 2).

**25mm Gauge** - Any branches that do not fit within the gauge are removed, regardless of where they occur on the stem (Figure 3).

**Important Note:** The above gauge sizes are a guide, and not recommended on the basis of formal research. Suggested sizes are based upon limited experience in Tasmania. Optimum gauge size may be refined over time and with further experience.

### Form & Pre-emptive Pruning

- Form Pruning - Any competing leaders that do not fit within an 18mm gauge are either removed at their base or shortened (figures 1 & 2).

- Pre-emptive Pruning - Vigorous branches that are between 18mm & 25mm in diameter should be shortened by removing ~50% of the foliage. For example, should a vigorous branch of 24mm diameter not be shortened, it may attain a diameter of 35-40mm by the time it is removed 12 months later. Large diameter branches take much longer to occlude, increasing the risk of decay and infestation by wattle grub.



**Figure 1** - Pre form pruning



**Figure 2** - Post form pruning

The gauge can be seen in Figure 1. This gauge is made from plywood, with 18mm and 25mm gaps. In Figure 1, three competing leaders can be observed above the gauge. Of these, the dominant leader was chosen as that on the right. Figure 2 shows the completion of form pruning, with all undesirable competing leaders removed. The diameter of the retained leader is ~20mm. As competing leaders have been removed at a relatively small size, the retained leader will straighten as growth continues. At the next pruning operation in 12 months time the stem should be nearly straight, with only a slight stem kink. Form pruning continues annually until a straight stem of the desired length is produced.

The gauge in Figure 1 rests upon a branch that has also developed into a competing leader. It is less than 25mm but more than 18mm in diameter. As it is a competing leader, it has been removed at its base. If this branch were lower on the stem and not a competing leader, removing half the foliage would prevent excessive growth (**pre-emptive pruning**).

Figure 3 shows the removal of vigorous branches that exceeded 25mm in diameter. Pruning in this manner (pre-emptive clearwood pruning) ensures pruning wounds remain relatively small. Quality pruning cuts, small branch size at time of removal and continued diameter growth should ensure that occlusion of the branch stubs occurs within 2-3 years. Poor quality pruning, large branch diameters and/or suppressed growth may result in slow occlusion over 5-6 years, increasing the chances of decay and Wattle grub infestation of pruned branch stubs.

Figure 4 shows form pruning at age 5.5 from the top of a 4.2 metre ladder using a safety harness. Tree height is ~7 metres. Stem diameter at the top of the ladder is 7-8cm. Surrounding nurse crop trees are *E.nitens*.



**Figure 3** - Removal of large branches.



**Figure 4** - Form Pruning from a ladder.

## CLEARWOOD PRUNING


**Clearwood pruning** should be undertaken with the following objectives:

- Maintaining at least 3 metres of green crown above the pruned height<sup>1</sup>.
- Minimising the DOS (Diameter Over Stub) to maximise clearwood recovery.

Figure 5 shows an 80mm gauge placed on the stem where stem diameter is 80mm. All branches below this point are removed (figure 6). With an 80mm gauge and annual pruning visits, the largest DOS is expected to be 10-12cm.

Depending upon the growth environment, it may not be possible to attain a DOS as small as 10-12cm while maintaining 3 metres of green crown. In such circumstances, always retain at least 3 metres of green crown and accept a larger DOS. Research in New Zealand has found that retaining 1.5 metres of green crown achieves a DOS of ~11cm. At this level of pruning, height and diameter growth of the blackwood is significantly reduced compared to trees with 3 metres of retained crown<sup>1</sup>.

**NB** - When blackwood is grown with a nurse crop of *E.nitens* experience suggests that a DOS of 10-12 cm may be achieved whilst retaining at least three metres of green crown.



**Figure 5** - Pre Clearwood Pruning



**Figure 6** - Post Clearwood Pruning

### How many trees should be pruned?

Final pruned stocking should be ~200 stems/ha at the completion of clearwood pruning and thinning by age 8-10<sup>1</sup>. More trees should be pruned early in the rotation to ensure the final selection of vigorous, healthy trees with relatively even spacing.

- Form prune all trees to a height that can be reached from the ground. Ignore those that are obviously not suitable due to excessively poor form and growth. This may mean form pruning as many as 80% of the stems.
- Once a ladder is required, continue form pruning the best 400 stems/ha.
- Clearwood prune the best 400 stems/ha to a height of 3-4 metres, ensuring that no more than 2 adjacent trees within rows or 2 trees/group are pruned.
- Once a second lift ladder is required to continue clearwood pruning above ~4 metres, prune the best 200 stems/ha. At this stage, thin all non-final crop blackwood and continue pruning to ~6.5m

**Note:** Pruning 400 stems/ha to a height of 3-4 metres may seem excessive. Selection of the best 200 stems/ha should depend on the following:

- Tree health: some trees may show an indication of crown dieback, decay in the pruned branch stubs and/or have Wattle grubs present. Such trees should be thinned.
- Height and diameter growth: where possible, select the dominant trees.
- Relatively even spacing of final crop trees is desirable. Pruning additional stems allows selection of the best trees while achieving relatively even spacing.

### Pruned Height

*A pruned height of 6.5m is recommended.* Not all trees may be of suitable form to continue clearwood pruning to this height. On lower quality sites where growth is slow, a shorter pruned height of 4-5m may be appropriate. Pruning to greater heights may stress the trees, increasing the risk of decay and Wattle grub infestation. Prune as high as tree form and vigour allows. In summary, *the tree dictates the pruning height.*

### When to Prune

Pruning should be conducted in November/December when vigorous growth is occurring. This is particularly important when form pruning, as pruning in winter or early spring before rapid growth has occurred may not allow selection of the best leader.

**Specialised Pruning Equipment** (high quality pruning equipment is recommended)

- A. Hand Secateurs - Enables form pruning to ~2m from the ground.
- B. Long Handled Secateurs - Enables form pruning and branch shortening to 4-6m from the ground.
- C. Small Bypass Loppers - Form and clearwood pruning.
- D. Hand Saw - Removal of large branches where late pruning is undertaken or rogue branches have developed rapidly.
- E. Pruning Holster - Secateurs, loppers and hand saw carried in the holster.
- F. Pruning Ladders - Lightweight aluminium forestry ladders in 2.4m and 4.2m lengths. Ensure that the point where the ladder rests against the stem is well padded. Blackwood has thin bark that can be easily damaged.
- G. Safety Harness - When pruning from a ladder a safety harness should be used. Although pruning rates may be slower with a harness, safety is more important than getting a few extra trees pruned. A full body harness designed for working from ladders should comply with AS/NZS 1891.1:1995.

**REFERENCE**

<sup>1</sup> Nicholas, I. & Brown, I., (2002). Blackwood: A Handbook for Growers and Users, Forest Research, Bulletin No. 225, New Zealand Forest Research Institute Limited.



PRIVATE FORESTS  
TASMANIA

Hobart: 6165 4073  
Launceston: 6777 2720  
Burnie: 6477 7052  
admin@pft.tas.gov.au  
www.pft.tas.gov.au  
© Private Forests Tasmania 2016

This information has been prepared by Private Forests Tasmania. Every reasonable endeavour has been used to ensure that the material was accurate at the time of publication. However, Private Forests Tasmania takes no responsibility for the accuracy, completeness or relevance of such information or for matters arising from changed circumstances or information or material which may have become available subsequently. This information is introductory in nature and should not be treated as a substitute for specific advice or relied on as a basis for business decisions. Before undertaking any significant forestry project it is recommended that you seek personal professional advice directly from a forestry professional on the particular matter.